

Annual Drinking Water Quality Report for 2021
Moreau Water Department
351 Reynold Road
Public Water Supply Identification Number NY4500177

INTRODUCTION

To comply with State regulations, the Town of Moreau Water Department will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your drinking water met all State drinking water health standards. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to New York State standards. Our constant goal is and always has been, to provide to you a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and to protect our water resources.

In an effort to reduce the costs of printing and mailing this report to over 2,000 water customers annually, we will be making this Annual Report available for review on the town's website at www.townofmoreau.org/Water/AnnualWaterQualityReport.pdf. If you do not have access to a computer and would prefer to continue receiving these reports manually please call the Town Clerk's Office at (518) 792-1030 ext. 3 and you will be put on a mailing list.

If you have any questions concerning this report or concerning your drinking water please contact: *Mr. Mangona., 351 Reynolds Road, Moreau, NY 12828; Telephone 518-307-9510.* We want our valued customers to be informed about their water service. If you want to learn more, please attend any of our regularly scheduled Town Board meetings. They are held on the 2nd and 4th Tuesdays of each month, at the Town Hall, 351 Reynolds Road, Moreau, NY.

WHERE DOES OUR WATER COME FROM?

The Town of Moreau Water Department purchases its water from two different sources the Town of Queensbury and the Saratoga County Water Authority. The Queensbury Water District source is the Hudson River, a surface water supply that is located at the Sherman Island Dam and The Saratoga County Water Authority source is the Hudson River, a surface water supply

Queensbury Water Treatment

Water is pumped from the river into a complete treatment facility. The treatment process at the Queensbury Water Treatment Plants consists of chlorination to protect against contamination from harmful bacteria and other organisms; coagulation using alum to cause small particles to stick together when the water is mixed, making larger heavier particles; sedimentation allows the newly formed larger particles to settle out naturally; filtration removes smaller particles by trapping them in sand filters; pH adjustment for corrosion control; post chlorination to prevent bacterial contamination.

Saratoga County Water Authority (SCWA)

The source water for SCWA is the upper Hudson River. Water treatment consists of addition of a coagulant and filtration through a 0.1-micron membrane filters and granular activated carbon filters. Caustic soda is added for pH adjustment and orthophosphates are added for corrosion control. Sodium hypochlorite is added for disinfection and to maintain a chlorine residual through the transmission system. There are two 1 million-gallon water storage tanks at the water plant. These tanks provide contact time for proper disinfection of water and provides storage for our pumping and transmission system.

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and EPA prescribe regulations, which limit the amount of certain contaminants in water, provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

SOURCE WATER ASSESSMENT

The NYS Department of Health has evaluated the Hudson River's susceptibility to contamination under the Source Water Assessment Program (SWAP), and their findings are summarized in the paragraph below. It is important to stress that these assessments were created using available information and only estimate the potential for source water contamination. Elevated susceptibility ratings do not mean that source water contamination has or will occur for this water supply. The Queensbury Water District and the SCWA provide treatment and regular monitoring to ensure the water delivered to consumers meets all applicable standards.

Based on documented polychlorinated biphenyl (PCBs) contamination of sediments upstream of the intake, the raw water is tested quarterly for PCBs. During 2021, PCB's were not detected in source or finished drinking water. It should also be noted that rivers in general are highly sensitive to microbial contaminants. A copy of the full Source Water Assessment, including a map of the assessment area, is available for review by contacting us at the number provided in this report.

FACTS AND FIGURES

The Town of Moreau Water Department provides water through 2,300 service connections to a population of approximately 5,750 people. Our average daily demand is 758,556 gallons. Our single highest day was 1,450,000 gallons. We purchased 276,873,000 gallons of water from Queensbury and SCWA in 2021. We billed 258,496,000 gallons. Unaccounted water amounted to 10,828,270 gallons. The difference (3.91%) between the volume billed and the total volume purchased. Non billed water accounted for is water used for firefighting, buildings, flushing of the water distribution system meter accuracy and water lost to leaks. The water rates range from \$2.61 to \$4.00 depending on the District and the annual totals range from \$165.50 to \$200.00

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

In accordance with State regulations, the Town of Moreau Water Department, Queensbury Water District and SCWA routinely monitors your drinking water for numerous contaminants. We test your drinking water for inorganic contaminants, radiological contaminants, lead and copper, nitrate, volatile organic contaminants, and synthetic organic contaminants. In addition, we test 7 samples for coliform bacteria each month. The table presented below depicts which contaminants were detected in your drinking water. The state allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old and is noted.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the New York State Department of Health Glens Falls District Office at (518) 793-3893.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the tables pages 4 & 5 our system had no violations. We have learned through our monitoring and testing that some constituents have been detected; however, these compounds were detected below New York State requirements. MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

New York State has adopted the first in the nation drinking water standard for 1,4-Dioxane along with one of the lowest maximum contaminant levels for PFOA and PFOS. Public Water Supplies in NYS are required to test for PFOA, PFOS and 1,4-Dioxane. PFOA and PFOS have Maximum Contaminant Levels (MCL) of 10 parts per trillion each while 1,4-Dioxane has an MCL of 1.0 parts per billion. The Town of Moreau has completed its quarterly monitoring for PFOA, PFOS & 1,4-Dioxane.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2021, The Town of Moreau Water Department was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbiological pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION ON CRYPTOSPORIDIUM AND GIARDIA QUEENSBURY & SCWA

Giardia is a microbial pathogen present in varying concentrations in many surface waters and groundwater under the influence of surface water. Giardia is removed/inactivated through a combination of filtration and disinfection or by disinfection. Through September 2018, Queensbury as part of LT2 Enhanced Surface Water Treatment Rule monitoring, Hudson River source water samples were collected and analyzed for Giardia cysts. Of these samples, five samples were confirmed positive for Giardia with the average being 5.6. Therefore, our monitoring indicates the presence of Giardia in our source water. During 2018, as part of our routine monitoring SCWA eight samples were collected of untreated Hudson River source water and analyzed for Giardia cysts. Of these samples seven samples showed a total of seventy-nine cysts and one sample showed no cysts. Our testing indicates the presence of Giardia in our source water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Giardia may cause giardiasis, an intestinal illness. People exposed to Giardia may experience mild or severe diarrhea, or in some instances no symptoms at all. Fever is rarely present. Occasionally, some individuals will have chronic diarrhea over several weeks or a month, with significant weight loss. Giardiasis can be treated with anti-parasitic medication. Individuals with weakened immune systems should consult with their health care providers about what steps would best reduce their risks of becoming infected with Giardiasis. Individuals who think that they may have been exposed to Giardiasis should contact their health care providers immediately. The Giardia parasite is passed in the feces of an infected person or animal and may contaminate water or food. Person to person transmission may also occur in day care centers or other settings where handwashing practices are poor.

Cryptosporidium is a microbial pathogen found in surface water and groundwater under the influence of surface water. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Through September 2018, monthly samples of our Hudson River source water were collected and analyzed for Cryptosporidium oocysts. Of these samples for Queensbury three showed oocysts with the average being 0.3. Our testing indicates the presence of Cryptosporidium in our source water. During 2018 SCWA tested 8 samples of untreated Hudson River source water were analyzed

for Cryptosporidium oocysts. Of these samples, no oocysts were detected. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Cryptosporidium may cause cryptosporidiosis, a gastrointestinal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome disease within a few weeks. However, immuno-compromised people are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their health care provider regarding appropriate precautions to take to avoid infection.

Unregulated Contaminant Monitoring 4 was conducted during 2019. This is a requirement of the 1996 Safe Drinking Water Act amendments. This monitoring provides a basis for future regulatory action to protect the public health. The number in parentheses refers to the number of measured for a total of 30 analytes. The breakdown of analytes is as follows: semi volatile organic chemicals (3), pesticides and pesticide manufacturing byproduct (9), metals (2), alcohols (3), cyanotoxin chemical contaminants (10), brominated haloacetic acid groups (3) and indicator compounds (2). We have listed those compounds that were detected in the table of Detected Contaminants for the Queensbury Water Department. There are no associated MCL's for these compounds at this time with the exception of Manganese.

INFORMATION ON LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Moreau Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>

WATER CONSERVATION TIPS

The Town of Moreau Water Department encourages water conservation. There are a lot of things you can do to conserve water in your own home. Conservation tips include:

- ◆ Only run the dishwasher and clothes washer when there is a full load
- ◆ Install faucet aerators in the kitchen and the bathroom to reduce the flow from 4 to 2.5 gallons per minute
- ◆ Water gardens and lawn for only a couple of hours after sunset
- ◆ Check faucets, pipes and toilets for leaks and repair all leaks promptly
- ◆ Take shorter showers

CAPITAL IMPROVEMENTS

During 2021 more hydrants were added in the distribution system for fire protection. We have continued our program of locating service lines for our card file.

CLOSING

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit our system.

| TOWN OF MOREAU WATER DEPARTMENT TABLE OF DETECTED CONTAMINANTS | | | | | | |
|---|---------------|--|------------------|------------------|---------------|--|
| Public Water Supply Identification Number NY4500177 | | | | | | |
| Contaminant | Violation Y/N | Level Detected | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
| Stage 2 Disinfection Byproducts (Quarterly samples from 2 sites on 2/8/21, 5/6/21, 8/6/21 & 10/6/21) | | | | | | |
| Haloacetic Acids [HAA5](LRAA1) ¹ Range of values for HAA5 | N | LRAA1 24.7 (11-34) LRAA2 30.2 (28-36) | ppb | N/A | 60 | By-product of drinking water disinfection |
| TTHM[Total Trihalomethanes](LRAA2) ¹ Range of values for TTHM | N | LRAA2 50 (11-109) LRAA2 70 (33-95) | ppb | 0 | 80 | By-product of drinking water chlorination |
| Chlorine (average value distribution system) (range of values for 2021) | N | 0.8 0.48-1.72 | ppm | MR DLG N/A | MRDL 4 | Used in the treatment and disinfection of drinking water |
| Inorganic Contaminants | | | | | | |
| Copper (samples from 8/28/19-9/5/19) Range of copper concentrations | N | 0.108 ² 0.006-1.08 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| Lead (samples from 8/28/19-9/5/19) Range of lead concentrations | N | 7.6 ³ ND-128 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |

NOTES:

1. MCL for HAA5 and TTHM is based on a Locational Running Annual Average. The average shown represents the highest LRAA for 2021. The highest LRAA for TTHM and HAA5 for LRAA1 (Spier Falls) was in the 4th quarter. For LRAA2(Amy Drive.), the highest LRAA was in the 4th quarter for HAA5 and the 3rd quarter for TTHM.
2. The level presented represents the 90th percentile of 20 test sites. The action level for copper was not exceeded at any of the 20 sites tested.
3. The level presented represents the 90th percentile of 20 test sites. The action level for lead was exceeded at 1 of the 20 sites tested.

| SARATOGA COUNTY WATER AUTHORITY Public Water Supply Identification Number NY4530222 Table of Detected Contaminants | | | | | | | |
|--|------------------|-----------------|----------------|------------------|--------|-------------------------------------|---|
| Contaminant | Violation Yes/No | Date of Sample | Level Detected | Unit Measurement | MCLG | Regulatory Limit (MCL, TT or AL) | Likely source of Contamination |
| Inorganic Contaminants | | | | | | | |
| Barium | N | 2/23/21 | 5 | ppb | 2000 | 2000 | Erosion of natural deposits |
| Chloride | N | 4/8/20 | 11.3 | ppm | N/A | 250 | Geology; Naturally occurring |
| Manganese | N | 4/8/20 | 2 | ppb | N/A | 300 | Geology; Naturally occurring |
| Nitrate | N | 2/23/21 | 0.14 | ppm | 10,000 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Sodium ¹ | N | 4/8/20 | 8.7 | ppm | N/A | N/A | Naturally occurring; Road Salt, animal waste and water softeners |
| Synthetic Organic Chemicals | | | | | | | |
| PFOA | N | 2/11/21 | 0.612 | ppt | N/A | 10 | Released into the environment from widespread use in commercial and industrial applications |
| PFOS | N | 2/11/21 | 0.504 | ppt | N/A | 10 | |
| Microbiological Contaminants | | | | | | | |
| Turbidity (Highest Value) ² | N | 8/12/21 | 0.311 100% | NTU | N/A | TT=1.0 NTU TT= 95% samples < 0.3 | Soil runoff |
| Total Organic Carbon (TOC) samples from 2021 | | | | | | | |
| TOC (average) Treated water (range) | N | Monthly samples | 2.4 1.8-3.1 | ppm | N/A | TT ³ | Naturally present in the environment |
| Notes: | | | | | | | |
| 1. Water containing more than 20 mg/l should not be used for drinking by persons on severely restricted sodium diets. | | | | | | | |
| 2. Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of our filtration system. Level detected represents the highest-level detected. Our highest single turbidity measurement for the year 6/8/21 (0.117 NTU). State regulations require that entry point turbidity must always be below 1.0 NTU. The regulations also require that 95% of the turbidity samples collected have measurements below 0.3 NTU and complied 100% of the time. | | | | | | | |
| 3. TOC removals from the water treatment process met the specified target values . | | | | | | | |

| TOWN OF QUEENSBURY TABLE OF DETECTED CONTAMINANTS Public Water Supply Identification Number NY5600114 | | | | | | |
|--|---------------|--------------------------------|------------------------|------|--|--|
| Contaminant | Violation Y/N | Level Detected | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
| Inorganic Contaminants (sample data from 2/6/19 unless otherwise noted) | | | | | | |
| Barium (from 2/2/21) | N | 5 | ppb | 2000 | 2000 | Erosion of natural deposits |
| Chloride | N | 9.4 | ppm | N/A | 250 | Naturally occurring or indicative of road salt contamination |
| Manganese | N | 5 | ppb | N/A | 300 | Naturally occurring |
| Nitrate (from 2/2/21) | N | 0.14 | ppm | 10 | 10 | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. |
| Sodium ¹ (from 2/2/21) | N | 19.5 | ppm | N/A | N/A | Naturally occurring; Road salt; Water softeners; Animal waste |
| Sulfate | N | 19.2 | ppm | N/A | 250 | Geology |
| Zinc | N | 2 | ppb | N/A | 5000 | Erosion of natural deposits |
| Long Term 2 Enhanced Surface Water Treatment Rule | | | | | | |
| Giardia ² (9 samples analyzed in 2018, 5 of the samples showed Giardia cysts) average | N | range 0-21 avg 5.6 cysts | Oocysts Total count | N/A | N/A | Soil runoff |
| Cryptosporidium (9 samples analyzed in 2018) | N | range 0-1 avg 0.3 | Total count | N/A | N/A | Soil runoff |
| Microbiological Contaminants | | | | | | |
| Turbidity ³ (Highest turbidity sample from 9/24/21) September ² 2021 | N | 0.12 100% | NTU | N/A | TT=1 NTU TT=95% of samples <0.3 NTU | Soil runoff |
| Total Organic Carbon⁴ (monthly samples from 2021) | | | | | | |
| Treated Water (average) Range of values | N | 1.66 1.2-2.1 | ppm | N/A | TT | Organic material both natural and manmade; Organic pollutants, decaying vegetation |
| Unregulated Contaminant Monitoring (UCMR4)⁵ sample collected quarterly 3/13/19, 6/25/19, 9/12/19 & 12/9/19 | | | | | | |

| | | | | | | |
|--------------------------------|--|-----------|-----|-----|-----|---|
| HAA9 (range of 4 quarters) | N/A | 13.9-21.1 | ppb | N/A | N/A | By-product of drinking water disinfection |
| HAA6Br (range of 4 quarters) | N/A | <0.3-1.0 | ppb | N/A | N/A | By-product of drinking water disinfection |
| Total Organic Carbon Raw Water | N/A | 3.8-4.63 | ppm | N/A | N/A | Erosion of natural deposits |
| Notes | | | | | | |
| 1. | Water containing more than 20 ppm should not be consumed by persons on severely restricted sodium diets. | | | | | |
| 2. | The Long Term 2 Enhanced Surface Water Treatment Rule was implemented by USEPA to monitor drinking water sources. Specifically, Giardia and Cryptosporidium which are highly resistant to traditional water treatment practices. Our system was required to test monthly for two years, starting October 2016. The results in the table are from Jan-Sept 2018. Please note that these results are prior to any water treatment. For more information please review the USEPA website. | | | | | |
| 3. | Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of our filtration system. Level detected represents the highest-level detected. Our highest single turbidity measurement for the year occurred 9/24/21 (0.12 NTU). State regulations require that entry point turbidity must always be below 1.0NTU. The regulations also require that 95% of the turbidity samples collected have measurements below 0.3 NTU. We met the requirement 100% of the time in 2021. | | | | | |
| 4. | It has been determined that with respect to raw water TOC levels and raw water alkalinity, the Queensbury WTP achieved removals that were well within the acceptable range allowed on their filter effluent. | | | | | |
| 5. | The UCMR4 regulation required us to collect samples to see the occurrence of certain contaminants in water and determine if future regulation is needed. There are no maximum contaminant levels for these chemicals at this time. Microcystins bi-weekly analyses during the summer of 2019 were also non-detect. | | | | | |

Glossary of Terms:

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) (ng/l) corresponds to one part of liquid to one trillion parts of liquid

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Nephelometric Turbidity Unit (NTU) - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

90th Percentile Value- The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system

Action Level - the concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)- The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination

Locational Running Annual Average (LRAA) - The LRAA is calculated each quarter by taking the average of the four most recent samples collected at each site

N/A- Not applicable

Also illustrated in the tables above, the Saratoga County Water Authority monitoring and testing detected some contaminants; all other contaminants were below the maximum levels permitted by the State, known as the maximum contaminant levels (MCL). Many of the test results were **NON-DETECTABLE**. The type/group (number of contaminants in each group) tested for were as follows: volatile organic compounds (52) + MTBE, synthetic organic compounds (41), asbestos The inorganic contaminants tested for and non-detectable were, arsenic, cadmium, chromium mercury, silver, selenium, antimony, beryllium, thallium, , nitrite and cyanide.

Appendix A

New York State Sanitary Code Compliance Monitoring Requirements- Compounds Analyzed that were Below Limits of Detection

| TOWN OF QUEENSBURY/MORREAU WATER DEPARTMENT | | | | |
|---|--|-------------------------|--------------------------------|---|
| Public Water Supply Identification Number NY5722361 & NY4500177 | | | | |
| CONTAMINANT | MONITORING FREQUENCY | | CONTAMINANT | MONITORING FREQUENCY |
| POC's (Volatile Organic Compounds) | | | | |
| | | | Benzene | Trans-1,3-Dichloropropene |
| | | | Bromobenzene | Ethylbenzene |
| | | | Bromochloromethane | Hexachlorobutadiene |
| Antimony | Monitoring requirement is one sample annually | | Bromoethane | Isopropylbenzene |
| Arsenic | | | N-Butylbenzene | p-Isopropyltoluene |
| | | | sec-Butylbenzene | Methylene Chloride |
| Beryllium | Sample results from 2/2/21 NON-DETECT | | Tert-Butylbenzene | n-Propylbenzene |
| Cadmium | | | Carbon Tetrachloride | Styrene |
| Chromium | | | Chlorobenzene | 1,1,1,2-Tetrachloroethane |
| Mercury | | | 2-Chlorotoluene | 1,1,2,2-Tetrachloroethane |
| Nickel | | | 4-Chlorotoluene | Tetrachloroethene |
| Selenium | | | Dibromomethane | Toluene |
| Thallium | | | 1,2-Dichlorobenzene | 1,2,3-Trichlorobenzene |
| Mercury | | | 1,3-Dichlorobenzene | 1,2,4-Trichlorobenzene |
| Cyanide | | | 1,4-Dichlorobenzene | 1,1,1-Trichloroethane |
| Fluoride | | | Dichlorodifluoromethane | 1,1,2-Trichloroethane |
| | | | | 1,1-Dichloroethane |
| | | | 1,2-Dichloroethane | Trichlorofluoromethane |
| | | | 1,1 Dichloroethene | 1,2,3-Trichloropropane |
| Color | Monitoring requirement is at State discretion Sample results from 2/6/19 NON-DETECT | | cis-1,2 Dichloroethene | 1,2,4-Trimethylbenzene |
| Iron | | | Trans-1,2-Dichloroethene | 1,3,5-Trimethylbenzene |
| Silver | | | 1,2 Dichloropropane | m-Xylene |
| | | | 1,3 Dichloropropane | o- Xylene |
| | | | 2,2 Dichloropropane | p-Xylene |
| | | | 1,1 Dichloropropene | Vinyl Chloride |
| | | Cis-1,3-Dichloropropene | MTBE | |
| | | | | |
| Taste | Monthly | | | |
| Odor | | | | |
| | | | | |
| NON-DETECT | | | Total Coliform & E. coli | Monitoring is 7 samples/ month NON-DETECT |
| | | | | |
| | | | Radiological Parameters | |
| | | | Gross alpha | Sample from 3/2/16 requirement is one sample every |
| | | | Radium 226 | Sample from 4/6/17 |

| | | | | |
|---------------------------------------|----------------------|--|-------------------------|--|
| | | Radium 228 | | six-nine years. NON-DETECT |
| Synthetic Organic Chemicals | | | | |
| Synthetic Organic Chemicals (Group I) | | Synthetic Organic Chemicals (Group II) | | |
| Aalachlor | Aldicarb | Aldrin | Carbaryl | Monitoring requirement is every 18 months NON-DETECT Sample from 6/2/21 *State waiver does not require monitoring these compounds |
| Aldicarb Sulfoxide | Aldicarb Sulfone | Butachlor | Di(2-ethylhexyl)adipate | |
| Atrazine | Carbofuran | Dalapon | Dicamba | |
| Chlordane | Dibromochloropropane | Di(2-ethylhexyl)phthalate | Dinoseb | |
| 2,4-D | Endrin | Dieldrin | Endothall* | |
| Ethylene Dibromide | Heptachlor | Diquat* | Hexachlorobenzene | |
| Lindane | Methoxychlor | Glyphosate* | 3-Hydroxycarbofuran | |
| PCB's | Toxaphene | Hexachlorocyclopentadiene | Metolachlor | |
| 2,4,5-TP (Silvex) | 1,4-Dioxane | Methomyl | Oxamyl vydate | |
| PFOA | PFOS | Metribuzin | Propachlor | |
| | | Pichloram | 2,3,7,8-TCDD (Dioxin)* | |
| PCB (11/2/21) | | Simazine | | |